

# DENTAL CONTOUR MATCHING BY OPTIMAL THINNING AND LABEL CONTOURING FOR HUMAN IDENTIFICATION

Deven N Trivedi<sup>[1]</sup>, Dr. Nimit Shah<sup>[2]</sup>, Dr. Ashish M. Kothari<sup>[3]</sup>

<sup>[1]</sup>PhD Researcher Scholar, C. U. Shah University, Near Kothariya Village, Wadhwan City, Gujarat, India

<sup>[2]</sup>Associate Professor, C. U. Shah University, Near Kothariya Village, Wadhwan City, Gujarat, India

<sup>[3]</sup>Assistant Professor, Atmiya Institute of Technology & Science, Rajkot, Gujarat, India

**Abstract-** Forensic dentistry involves the identification of people based on their dental recorded mainly available as radiograph images. An automated dental identification system consists of two main groups: Feature Extraction and Feature Matching. Here we are present new tool for human identification based on dental information and some image processing algorithm. first we applied pre-process on the image. In this resize and reshape and change the image in gray scale then apply the edge detection algorithm on the dental image data base and get silent features likes contour, artificial prosthesis, number of cupids, etc. is extracted from the radiographs. Then applied different thinning values on these extracted dental images and get feature matching of different dental images and using in this information show that human identification is done easy base on dental images. also ISEF and canny edge detection algorithms are used. Here we have used label contours on JPEG images and DICOM images for comparative analysis.

**Keywords-** input image(query image), reference images(general images), canny, thinning

## I. INTRODUCTION

Edge detection is a basic operation in image processing, it refers to the process identifying and locating sharp discontinuities in an image, the discontinuities are abrupt changes in pixel intensity which characterize boundaries of objects in a scene. It is a very important first step in many algorithms used for segmentation, tracking and object recognition [1]. There are an extremely large number of edge detection operators available, each designed to be sensitive to edges, typically it reduces the memory size and the computation cost[2] the edge detection algorithms are implemented using software. In this paper we use canny algorithm to use edge detection. And also get much more information for the human

In this paper we are taking e1 image as input (query image) and this image match with other reference(general images). here e1x, e1xx images are with noise and with more noisy image respectively.

## II. CANNY EDGE DETECTION

We can derive the optimal edge operation to find step edges in the presence of white noise, where "optimal" means

- Low error rate of detection  
Well match human perception results
- Good localization of edges  
The distance between actual edges in an image and the edges found by a computational algorithm should be minimized
- Single response  
The algorithm should not return multiple edges pixels when only a single one exists.

Canny algorithm was made by J Canny in 1986. In the algorithm is shown in the figure in this the first step is image smoothing this is use for noise removing from the image. There is low pass filter is there. Then next is gradient filter is there. The equation for

one dimension filter is  $G(x) = e^{-x^2/2\sigma^2}$

two dimension filter is  $G(x) = e^{-(x^2 + y^2)/2\sigma^2}$

in this the Gaussian curve is shown in the figure. In this the curve line is circle.




Figure-1 Gaussian curve




Figure-2 flow chart of canny edge detection

### III. IMPLIMENTATION

In this paper we are implement the image by change its thresholding point. We use thresholding point is 0.1, 0.2, 0.3, 0.4 and show what is change accure in this in input image and reference images and get priority for this matching here we put small idea for this. We shown below:

First we applied thresholding point = 0.4

Input image




Figure-3 Query image e1, canny operated e1[8]

Reference images(general images)




Figure-4 e1x with noise,e1xx with more noise,e1xxx full noise [8]




Figure-5 i1,i2,i3[8]




Figure- 6 image2, p83, p84.[8]

In this reference images the image e1x, e1xx, e1xxx is the defected input image. So it is image as same person. Other images i1, i2, i3, 2, p83, p84 all the images are reference images. Then we apply canny algorithm on the reference images. It is shown in figure.




Figure-7 e1x,e1xx,e1xxx




Figure-8: i1, i2, i3




Figure-9 canny of 2, p83, p84

Then we compare input canny image and reference canny image.




Figure-10 e1-e1x, e1-e1xx, e1-e1xxx




Figure-11 e1-i1, e1-i2, e1-i3




Figure-12 e1-2, e1-p83, e1-p84

Table-1: Tthresholding point 0.4

	Maximum pixel	matching	mismatching
e1-e1x	348135	348111	24
e1-e1xx	348086	348013	73
e1-e1xxx	347749	347339	422
e1-i1	346401	344643	1758
e1-i2	346048	343937	2111
e1-i3	345318	342477	2841
e1-2	344979	341799	3180
e1-p83	345614	343069	2545
e1-p84	344787	341415	3372




Figure-13 Chart for theresholding point 0.4\

Thresholding point is 0.3.

The input image




Figure-14 query image e1, canny operated e1

Canny of reference images when the thresholding point 0.3.




Figure-15 e1x, e1xx, e1xxx




Figure-16 i1, i2, i3




Figure-17 canny of 2, p83, p84

Compare reference image with input image when thresholding point 0.3.




Figure-18: e1-e1x, e1-e1xx, e1-e1xxx




Figure-19 e1-i1, e1-i2, e1-i3




Figure- 20 e1-2, e1-p83, e1-p84

Table-2 : Thresholding point 0.3

	Maximum pixel	matching	mismatching
e1-e1x	348135	348111	24
e1-e1xx	348086	348013	73
e1-e1xxx	347749	347339	410
e1-i1	344968	341777	3191
e1-i2	344644	341129	3515
e1-i3	341138	334117	7021
e1-2	342760	337361	5399
e1-p83	344358	340557	3801
e1-p84	343097	338035	5062




Figure- 21 Chart for thresholding point 0.3

Thresholding point 0.2




Figure-22 query image e1, canny operated e1

Reference image is shown in figure below. When the thresholding point is 0.2.




Figure-23 e1x, e1xx, e1xxx




Figure-24 i1, i2, i3




Figure-25 canny of 2, p83, p84

Then we compare the input image with reference image when the thresholding point is 0.2.




Figure-26 e1-elx, e1-elxx, e1-elxxx




Figure-27 e1-i1, e1-i2, e1-i3




Figure-28 e1-2, e1-p83, e1-p84

Table-3: Thresholding point 0.2

	Maximum pixel	matching	mismatching
e1-e1x	348135	348111	24
e1-e1xx	348086	348013	73
e1-e1xxx	347749	347339	410
e1-i1	340621	333083	7538
e1-i2	337882	327605	10277
e1-i3	325478	302797	22681
e1-2	334085	320011	14074
e1-p83	340506	332853	7653
e1-p84	338605	329051	9554




Figure-29 Chart for thresholding point 0.2

Thresholding point is 0.1




Figure-30 query image e1, canny operated e1

Canny of reference images shown in the figure. When the thresholding point is 0.1.




Figure-31 e1x, e1xx, e1xxx




Figure-32 i1, i2, i3




Figure-33 canny of 2, p83, p84

Compare input image with reference image when thresholding point is 0.1.




Figure-34 e1-e1x, e1-e1xx, e1-e1xxx




Figure-35 e1-i1, e1-i2, e1-i3




Figure-36 e1-2, e1-p83, e1-p84

Table-4: Thresholding point 0.1

	Maximum pixel	matching	Mismatching
e1-e1x	348135	348111	24
e1-e1xx	348086	348013	73
e1-e1xxx	347749	347339	410
e1-i1	327824	307489	20335
e1-i2	317728	287297	30431
e1-i3	298603	249047	49556
e1-2	312130	276101	36029
e1-p83	328561	308963	19598
e1-p84	326920	305681	21239




Figure-37 Chart for thresholding point 0.1




Figure-38 Comparison of all thinning factors

#### IV. ISEF ALGORITHM

The Shen – Castan is introduced novel edge detection algorithm based on infinite symmetric exponential filter (ISEF) [20]. This algorithm is divide into following steps like recursion filtering in X direction, recursion filtering in Y direction, binary Laplacian image, non maximum suppression, gradient, hysteresis Thresholding, thinning . Shen and Castan agree with Canny about the general form of the edge detector a convolution with a smoothing kernel followed by a search for edge pixels. Figure-39 shows the ISEF Algorithm





Figure-39 Block diagram of ISEF algorithm

#### DICOM Images


Some DICOM images are taken for more analysis.



(a)



(b)




(c)


Figure-40 (a) Dicom image of d9\_am (Reference Image) (b) ISEF (c) Contour Image



(a)



(b)




(c)

Figure-41 (a) d5\_ck image (b) ISEF image (c) contour image

Table-5 contour per matching (%) for different DICOM images.

FIGURE	CONTOUR PER MATCHING(%)
d9_am – d9_am	100
d9_am – d1_am	76-86
d9_am - d1_Pa	59-63
d9_am - d1_mb	25-43
d9_am - d1_kirti	55
d9_am – d2_archita	80
d9_am – d5_ck	15
d9_am – d2_pa	60
d9_am – d3_pm	55
d9_am – d2_tk	65





**Figure-42** Graphical representation of comparison of d9\_am DICOM image with Other person's DICOM image.

## V. CONCLUSION

In this chart we can show that the image e1 is compare with all the other images like e1x, e1xx, e1xxx these images are destroyed from e1. So these images are almost same matching and mismatching rate. Others have different matching and mismatching rate. Also ISEF algorithm is applied on DICOM images of various persons. Here d9\_am is reference DICOM image. With this image other images are compared. Figure-42 shows matching percentage of d9\_am DICOM image with other persons in form of chart. So using combination of ISEF and Contour different persons images are compared and shows that if d9\_am is compared with itself it gives 100 matching and with other it is giving less matching percentage. So application of ISEF for dental contour matching is novel algorithm and it is applied on wide range of images.

## REFERENCE

- [1] Anil K. Jain, Hong Chen, *Matching of dental X-ray images for human identification*, Pattern Recognition 37 (2004) 1519 - 1532.

- [2] EyadHaj Said, Gamal Fahmy, Diaa Nassar, and Hany Ammar, *Dental X-ray Image Segmentation*, Proceedings of the SPIE-The International Society for Optical Engineering, Biometric Technology for Human Identification, Apr 1213, 2004.
- [3] Mohamed Abdel-Mottaleb, Omaira Nomir, Diaa Eldin Nassar, Gamal Fahmy, and Hany H. Ammar, *Challenges of Developing an Automated Dental Identification System*, 2003 IEEE International symposium on Micro-NanoMechatronics and Human Science.
- [4] Hong Chen and Anil K. Jain, , *Dental Biometrics: Alignment and Matching of Dental Radiographs*, IEEE Transactions on Pattern Analysis and Machine Intelligence Aug 2005, Vol.27, Issue:8, 1319-1326.
- [5] Jindan Zhou, Mohamed Abdel-Mottaleb, *Acontent-based system for human identification based on bitewing dental X-ray images*, Pattern Recognition 38 (2005) 2132 - 2142.
- [6] Omaira Nomir, Mohamed Abdel-Mottaleb, *A system for human identification from X-ray dental radiographs*, Pattern Recognition 38 (2005) 1295 - 1305.
- [7] Pedro H. M. Lira, Gilson A. Giraldo and Luiz A. P. Neves *Panoramic Dental X-Ray Image Segmentation and Feature Extraction*,
- [8] <https://www.practo.com/anand>, dr. Shachee Batra, sudant dental clinic.
- [9] Omaira Nomir and Mohamed Abdel-Mottaleb, *Human Identification From Dental X-Ray Images Based on the Shape and Appearance of the Teeth*, ieee transactions on information forensics and security vol. 2, issue. 2, june 2007, pg 188-197.
- [10] Omaira Nomir, Mohamed Abdel-Mottaleb, , *Hierarchical contour matching for dental X-ray radiographs*, Pattern Recognition 41 (2008) 130 - 138.
- [11] Mohsen Sharifi, Mahmoud Fathy, Maryam Tayefeh Mahmoudi, *A Classified and Comparative Study of Edge Detection Algorithms*, *Department of Computer Engineering, Iran University of Science and Technology ,Narmak, Tehran-16844, IRAN ,{mshar,mahfathy, tayefeh}@iust.ac.ir*.
- [12] N. Seuung, P. Kwanghuk, L. Chulhy, and J. Kim, "Multiresolution Independent Component Identification", Proceedings of the 2002 International Technical Conference on Circuits, Systems, Computers and Communications, Phuket, Thailand, 2002.
- [13] J. Dargham, A. Chekima, F. Chung and L. Liam, —Iris Recognition Using Self Organizing Neural Networkl, Student Conference on Research and Development, 2002, pp. 169-172.

- [14] L. Ma, W. Tieniu and Yunhong, —Iris Recognition Based on Multichannel Gabor Filtering, Proceedings of the International Conference on Asian Conference on Computer Vision, 2002, pp. 1-5.
- [15] L. Ma, W. Tieniu and Yunhong, —Iris Recognition Using Circular Symmetric Filters, Proceedings of the 16th International Conference on Pattern Recognition, vol. 2, 2002, pp. 414-417.
- [16] W. Chen and Y. Yuan, —A Novel Personal Biometric Authentication Technique Using Human Iris Based on Fractal Dimension Features, Proceedings of the International Conference on Acoustics, Speech and Signal Processing, 2003.
- [17] Z. Yong, T. Tieniu and Y. Wang, —Biometric Personal Identification Based on Iris Patterns, Proceedings of the IEEE International Conference on Pattern Recognition, 2000, pp. 2801-2804.
- [18] C. Tisse, L. Torres and M. Robert, —Person Identification Technique Using Human Iris Recognition, Proceedings of the 15<sup>th</sup> International Conference on Vision Interface, 2002.
- [19] Swarnalatha Purushotham, Margret Anuncia, *Enhanced Human Identification System using Dental Biometrics*, Proceedings of the 10th WSEAS International Conference on NEURAL NETWORKS.
- [20] S. Castan, J. Zhao and J. Shen, —New Edge Detection Methods Based on Exponential Filter, Proceedings 10th International Conference on Pattern Recognition, vol. 1. Issue 16, Jun 1990, pp. 709-711. [www.scribd.com/doc/6577699/Edge-Detect](http://www.scribd.com/doc/6577699/Edge-Detect)

#### AUTHORS

**First Author** – Mr. Deven N Trivedi is working as assistant professor in electronics and communication department in Madhuben And Bhanubhai Patel Institute Of Engineering For Studies And Research In Computer And Communication Technology. , New V.V. Nagar, Anand, India. Currently he is pursuing his P.hd from C.U. Shah University, Wadhwan. His area of interest is image processing, analog circuits. He has several research papers to his name.

**Second Author** – Dr. Nimit Shah is working as head of the department of electric and electronics engineering at C. U. Shah college of engineering, Wadhwan, Gujarat. His area of interest is image processing. He has several research papers to his name.

**Third Author** – Dr. Ashish M Kothari is working as assistant professor in Atmiya institute of technology, Rajkot, India. His area of interest is image processing, Communication. He has several research papers to his name.